


# Actual4Test



My Account My Cart (1)

Actual4test

HOME ▾ CERTIFICATION ▾ ABOUT ▾ HOW TO PAY? ▾ GUARANTEE ▾ FAQ ▾

Input your exam code ...

Here are all the actual test exam dumps for IT exams. Most people prepare for the actual exams with our test dumps to pass their exams. So it's critical to choose and actual test pdf to succeed.

All Products Contact now



#### QUALITY AND VALUE

Actual4test Practice Exams are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development - no all dumps.



#### TESTED AND APPROVED

We are committed to the process of vendor and third party approvals. We believe professionals and executives alike deserve the confidence of quality coverage these authorizations provide.




#### EASY TO PASS

If you prepare for the exams using our Actual4test testing engine, it is easy to succeed for all certifications in the first attempt. You don't have to deal with all dumps or any free torrent / rapidshare all stuff.



#### TRY BEFORE BUY

Actual4test offers free demo of each product. You can check out the interface, question quality and usability of our practice exams before you decide to buy.



### TRY BEFORE YOU BUY

Download a free sample of any of our exam questions and answers

- 24/7 customer support. Secure shopping site
- Free One year updates to match real exam scenarios
- If you failed your exam after buying our products we will refund the full amount back to you.

Select a vendor... Select an exam...

Free Download

<http://www.actual4test.com>

Actual4test - actual test exam dumps-pass for IT exams

**Exam** : **200-150**

**Title** : **Introducing Cisco Data Center  
Networking**

**Vendor** : **Cisco**

**Version** : **DEMO**

**NO.1** A SAN administrator recently added a new zone to the VSAN 2 zone set named zone set2, but the server is still unable to access the shared storage.

Which command will resolve this issue?

- A. zone copy active-zoneset ful-zoneset
- B. zoneset activate zoneset2
- C. zone default-zone permit vsan 2
- D. copy running -config startup-config

**Answer:** C

**NO.2** Which situation will cause a switch to flood traffic out all of the ports on the switch?

- A. The switch receives a destination MAC address of 0000.0000.0000
- B. The switch receives a destination MAC address of ffff.ffff.ffff
- C. The switch receives a source MAC address of 0000.0000.0000
- D. The switch's TCAM reaches the MAC address limit.
- E. The switch was configured in cut-through mode.

**Answer:** B

**NO.3** Which two are functions of the data center access layer? (Choose two)

- A. server connections
- B. VLAN creation
- C. packet filtering
- D. high data transfer rate
- E. high network fault tolerance

**Answer:** A,B

**NO.4** What two actions can be taken to enable inter-VLAN communications in the data center? (Choose two.)

- A. extend Layer 2 services to a Layer 3 capable VLAN using Layer 3 tunneling.
- B. use a routing protocol to direct packets into the Layer 2 network
- C. connect Layer 2 VLANs together with 802.1Q trunks
- D. deploy a router as a Layer 3 services gateway attached inside each Layer 2 VLAN
- E. install a Layer 3 capable switch in the data center.

**Answer:** D,E

**NO.5** A customer requires two separate physical pathways between multiple initiators and multiple targets. Which technology meets this requirement on a single Cisco MDS9148 switch?

- A. zoning
- B. port security
- C. LUN masking
- D. VSANs

**Answer:** D

**NO.6** Refer to the exhibit.

INTERFACE	VSAN	FCID	PORT NAME	NODE NAME
fc7/1	1	0xb200e2	21:00:00:04:cf:27:4b:2c	20:00:00:04:cf:27:4b:2c
fc7/1	1	0xb200e1	21:00:00:04:cf:4c:18:01	20:00:00:04:cf:4c:18:01
fc7/1	1	0xb200d1	21:00:00:04:cf:4c:18:64	20:00:00:04:cf:4c:18:64
fc7/1	1	0xb200ce	21:00:00:04:cf:4c:16:aa	20:00:00:04:cf:4c:16:aa
fc7/1	1	0xb200cd	21:00:00:04:cf:4c:18:ab	20:00:00:04:cf:4c:18:ab

What two conclusions can be made based upon the output? (Choose two.)

- A. regular format WWNs are being used
- B. the command show flogl database was run
- C. the command show fcns database vsan 1 was run
- D. registered name format WWNs are being used
- E. extended format WWNs are being used.

**Answer:** B,E

**NO.7** Which command can change the sequence of a router boot process?

- A. config-register
- B. configuration-register
- C. conf-register
- D. config-registration

**Answer:** A

**NO.8** A switch is configured to be part of a VTP domain so that its VLAN database is not affected by any changes in the domain. Which mode should be configured on this switch?

- A. client
- B. transparent
- C. server
- D. neutral

**Answer:** B

**NO.9** Which two VTP modes allow the creation of local VLANs? (Choose two.)

- A. transparent
- B. native
- C. server
- D. client
- E. on

**Answer:** A,C

**NO.10** A network design team has decided to use a standard protocol to consolidate the Ethernet and San data using the existing Nexus switches. Which I/O technology can satisfy this need?

- A. FCoE
- B. IEEE 802.1AB
- C. SCS
- D. AToM

***Answer: A***